## U.S. DEPARTMENT OF HOMELAND SECURITY · Federal-Emergency Management Agency

## **ELEVATION CERTIFICATE**

OMB No. 1660-0008 Expires March 31, 2012

Important: Read the instructions on pages 1-9. National Flood Insurance Program

		For Insurance Company Use:									
A1. B	uilding Owner's Nam	-	Policy Number								
351 W	uilding Street Addres OODCREST RD.	No.	Company NAIC Number								
C	ity KEY BISCAYNE	State FL ZI	IP Code 33149								
	Property Description (I 9, BLOCK 22 PB. 53										
A5. L A6. A A7. B A8. F a b	A4. Building Use (e.g., Residential, Non-Residential, Addition, Accessory, etc.) RESIDENTIAL  A5. Latitude/Longitude: Lat. 25*41'40.91" N Long. 80*09'50.43" W Horizontal Datum: NAD 1927 NAD 1983  A6. Attach at least 2 photographs of the building if the Certificate is being used to obtain flood insurance.  A7. Building Diagram Number 8  A8. For a building with a crawlspace or enclosure(s):  a) Square footage of crawlspace or enclosure(s)  b) No. of permanent flood openings in the crawlspace or enclosure(s) within 1.0 foot above adjacent grade  c) Total net area of flood openings? Yes No  A9. For a building with an attached garage:  a) Square footage of attached garage N/A sq ft  b) No. of permanent flood openings in the attached garage within 1.0 foot above adjacent grade  b) No. of permanent flood openings in the attached garage  c) Total net area of flood openings? Yes No  d) Engineered flood openings? Yes No										
SECTION B - FLOOD INSURANCE RATE MAP (FIRM) INFORMATION											
	FIP Community Name 8 VILLAGE OF KEY		Number	B2. County Na MIAMI-DADE			B3. State FLORIDA				
B4. N	Map/Panel Number 12086C0483	B5. Suffix L	B6. FIRM Index Date 09-11-2009	Effectiv	FIRM Panel re/Revised Date 9-11-2009	B8. Flood Zone(s) AE	B9. Base Flood Elevation(s) (Zone AO, use base flood depth) 10'				
☐ FIS Profile ☐ FIRM ☐ Community Determined ☐ Other (Describe)  B11. Indicate elevation datum used for BFE in Item B9: ☐ NGVD 1929 ☐ NAVD 1988 ☐ Other (Describe)  B12. Is the building located in a Coastal Barrier Resources System (CBRS) area or Otherwise Protected Area (OPA)? ☐ Yes ☐ No Designation Date ☐ CBRS ☐ OPA											
		SECTIO	N C - BUILDING I	ELEVATION		SURVEY REQUIR	ED)				
*A C2. Ele bel Be	ilding elevations are to new Elevation Certific evations – Zones A1-/low according to the tonchmark Utilized KB enversion/Comments	pased on: cate will be requi A30, AE, AH, A ( building diagram -7-RVertical Date	Construction Draired when construction with BFE), VE, V1-V specified in Item A7.	awings* on of the buildin 30, V (with BFE	NFORMATION ( Building Under g is complete. AR, AR/A, AR/A	er Construction* E, AR/A1-A30, AR/Al					
*A C2. Ele bel Be Co	new Elevation Certific evations – Zones A1-/ low according to the b nchmark Utilized KB nversion/Comments	pased on: cate will be requi A30, AE, AH, A ( puilding diagram -7-RVertical Date	☐ Construction Draired when construction (with BFE), VE, V1-V specified in Item A7.  UM NGVD-1929	awings* on of the buildin 30, V (with BFE Use the same	Building Under g is complete.  AR, AR/A, AR/A datum as the BFE	er Construction*  E, AR/A1-A30, AR/Al  Check the measurer					
*A C2. Ele bel Be	new Elevation Certific evations – Zones A1-/ low according to the b nchmark Utilized KB nversion/Comments	pased on: cate will be requi A30, AE, AH, A ( building diagram -7-RVertical Date N/A (including baser	Construction Draired when construction with BFE), VE, V1-V specified in Item A7.	awings* on of the buildin 30, V (with BFE Use the same	NFORMATION ( ☐ Building Under g is complete. E), AR, AR/A, AR/A datum as the BFE	er Construction* E, AR/A1-A30, AR/Al	☐ Finished Construction  H, AR/AO. Complete Items C2.a-h  ment used. o Rico only)				
*A C2. Ele bel Be Co a) b) c)	new Elevation Certific evations – Zones A1-/ low according to the b nchmark Utilized KB nversion/Comments I Top of bottom floor Top of the next high Bottom of the lower	pased on: cate will be requi A30, AE, AH, A ( building diagram -7-RVertical Date N/A (including baser ther floor st horizontal stru-	☐ Construction Draired when construction (with BFE), VE, V1-V specified in Item A7.  UM NGVD-1929	awings* on of the buildin 30, V (with BFE Use the same	Building Under g is complete.  A RAPA, ARAA ARAA datum as the BFE  1 6.05	er Construction*  E, AR/A1-A30, AR/Al  Check the measurer  eet	Finished Construction  I, AR/AO. Complete Items C2.a-h  ment used. o Rico only) o Rico only) o Rico only)				
*A C2. Ele bel Be Co a) b) c)	new Elevation Certific evations – Zones A1-/ low according to the b nchmark Utilized KB nversion/Comments I Top of bottom floor Top of the next high Bottom of the lower Attached garage (to	cased on: cate will be requi A30, AE, AH, A ( ouilding diagram -7-RVertical Date N/A (including baser her floor st horizontal structor op of slab)	Construction Draired when construction (with BFE), VE, V1-V specified in Item A7, um NGVD-1929  ment, crawlspace, or actural member (V Zo	awings* on of the buildin 30, V (with BFE Use the same enclosure floor	Building Under g is complete.  A, AR, AR/A, AR/A datum as the BFE  1) 6.05	er Construction*  E, AR/A1-A30, AR/Al  Check the measurer  eet	Finished Construction  I, AR/AO. Complete Items C2.a-h  ment used. o Rico only)				
*A C2. Ele bel Be Co a) b) c)	new Elevation Certific evations – Zones A1-/low according to the broken commark Utilized KB niversion/Comments Top of bottom floor Top of the next high Bottom of the lower Attached garage (to Lowest elevation of	cased on: cate will be requi A30, AE, AH, A ( building diagram -7-RVertical Date N/A (including baser ther floor st horizontal structor op of slab) I machinery or ed	Construction Draired when construction (with BFE), VE, V1-V specified in Item A7. um NGVD-1929	awings* on of the buildin 30, V (with BFE Use the same enclosure floor nes only)	Building Under g is complete.  A, AR, AR/A, AR/A datum as the BFE  1) 6.05	er Construction*  E, AR/A1-A30, AR/Al  Check the measurer  eet	Finished Construction  I, AR/AO. Complete Items C2.a-h  ment used. o Rico only)				
*A C2. Ele bel Be Co a) b) c)	new Elevation Certific evations – Zones A1-/low according to the broken chmark Utilized KB niversion/Comments Top of bottom floor Top of the next high Bottom of the lower Attached garage (to Lowest elevation of (Describe type of elevation).	cased on: cate will be requi A30, AE, AH, A ( ouilding diagram -7-RVertical Data N/A  (including baser ther floor st horizontal struct op of slab) f machinery or ec quipment and loon nished) grade ne	Construction Draired when construction (with BFE), VE, V1-V specified in Item A7. um NGVD-1929  ment, crawlspace, or actural member (V Zo quipment servicing the cation in Comments) ext to building (LAG)	awings* on of the buildin 30, V (with BFE Use the same enclosure floor nes only)	NFORMATION ( ☐ Building Under g is complete. E), AR, AR/A, AR/A  datum as the BFE  10.88 ☐ fe N/.A ☐ fe N/.A ☐ fe 10/.40 ☐ fe	cr Construction*  E, AR/A1-A30, AR/Al  Check the measurer  cet	Finished Construction  A, AR/AO. Complete Items C2.a-h  ment used. o Rico only)				
*A C2. Elebel Be Co a) b) c) d) e) f) g)	new Elevation Certific evations – Zones A1-/low according to the broken character Utilized KB niversion/Comments Top of bottom floor Top of the next high Bottom of the lower Attached garage (to Lowest elevation of (Describe type of e Lowest adjacent (fill Highest adjacent (fill)	cased on: cate will be requi A30, AE, AH, A ( ouilding diagram -7-RVertical Data N/A  (including baser her floor est horizontal struct op of slab) f machinery or ec quipment and loo nished) grade ne	Construction Draired when construction (with BFE), VE, V1-V specified in Item A7. um NGVD-1929  ment, crawlspace, or actural member (V Zo quipment servicing the cation in Comments) ext to building (LAG) ext to building (HAG)	awings* on of the buildin 30, V (with BFE Use the same enclosure floor nes only)	NFORMATION ( Building Under gis complete.  AR, AR/A, AR/A  datum as the BFE   10.88	cr Construction*  E, AR/A1-A30, AR/Al  Check the measurer  cet	Finished Construction  I, AR/AO. Complete Items C2.a-h  nent used. o Rico only)				
*A C2. Elebel Be Co a) b) c) d) e)	new Elevation Certific evations – Zones A1-/low according to the broken character Utilized KB niversion/Comments Top of bottom floor Top of the next high Bottom of the lower Attached garage (to Lowest elevation of (Describe type of e Lowest adjacent (fill Highest adjacent (fill)	cased on: cate will be requi A30, AE, AH, A ( cuilding diagram -7-RVertical Data N/A  (including baser ther floor st horizontal struct op of slab) f machinery or ec quipment and loc nished) grade ne ade at lowest ele	Construction Draired when construction (with BFE), VE, V1-V specified in Item A7. um NGVD-1929  ment, crawlspace, or actural member (V Zo quipment servicing the cation in Comments) ext to building (LAG) evation of deck or stage	awings* on of the buildin 30, V (with BFE Use the same enclosure floor nes only) ne building	NFORMATION ( Building Under gis complete.  AR, AR/A, AR/A  datum as the BFE   10.88	cr Construction*  E, AR/A1-A30, AR/Ab  Check the measurer  cet	Finished Construction  I, AR/AO. Complete Items C2.a-h  Inent used. In Rico only)				
*A C2. Elebel Be Co a) b) c) d) e) f) g) h)	new Elevation Certific evations – Zones A1-/low according to the broken commark Utilized KB niversion/Comments Top of bottom floor Top of the next high Bottom of the lowes Attached garage (to Lowest elevation of (Describe type of e Lowest adjacent (fill Highest adjacent grastructural support	cased on: cate will be requi A30, AE, AH, A ( puilding diagram -7-RVertical Data N/A  (including baser ner floor st horizontal struct op of slab) if machinery or ec quipment and loc nished) grade ne ade at lowest ele  SECTIO	Construction Draired when construction (with BFE), VE, V1-V specified in Item A7. um NGVD-1929  ment, crawlspace, or actural member (V Zo quipment servicing the cation in Comments) ext to building (LAG) ext to building (HAG) evation of deck or start CON D - SURVEYO	awings* on of the buildin 30, V (with BFE Use the same enclosure floor nes only) he building dirs, including	NFORMATION ( ☐ Building Under gis complete. E), AR, AR/A, AR/A  I datum as the BFE   10.88 ☐ fe  10.88 ☐ fe  N/.A ☐ fe  10/.40 ☐ fe  6.7 ☐ fe  6.7 ☐ fe  5.4 ☐ fe  R, OR ARCHITEC	Check the measurer meters (Puerlet meters (Pue	Finished Construction  I, AR/AO. Complete Items C2.a-h  ment used. o Rico only)				
*A C2. Elebel Be Co a) b) c) d) e) f) g) h)	new Elevation Certific evations – Zones A1-/low according to the broken character Utilized KB niversion/Comments Top of bottom floor Top of the next high Bottom of the lower Attached garage (to Lowest elevation of (Describe type of e Lowest adjacent (fill Highest adjacent grows in the second content of the lowest adjacent (fill Lowest adjacent grows and content of the second content of the sec	cased on: cate will be requi A30, AE, AH, A ( coulding diagram -7-RVertical Data N/A  (including baser ther floor st horizontal struct op of slab) of machinery or equipment and local nished) grade ne ade at lowest elect SECTIO med and sealed the information on tatement may be	Construction Draired when construction (with BFE), VE, V1-V specified in Item A7. um NGVD-1929  ment, crawlspace, or actural member (V Zo quipment servicing the cation in Comments) ext to building (LAG) exat to building (HAG) evation of deck or state of the construction of the constru	awings* on of the buildin 30, V (with BFE Use the same enclosure floor nes only) ne building airs, including R, ENGINEER engineer, or arc sents my best or imprisonment	NFORMATION (  Building Under gis complete.  AR, AR/A,	Check the measurer meters (Puerlet meters (Pue	Finished Construction  I, AR/AO. Complete Items C2.a-h  ment used. o Rico only)				
*A C2. Elebel Be Co a) b) c) d) e) f) g) h) This co information unders	new Elevation Certifications – Zones A1-/low according to the branchmark Utilized KB niversion/Comments Top of bottom floor Top of the next high Bottom of the lower Attached garage (to Lowest elevation of (Describe type of e Lowest adjacent (fill Highest adjacent (fill Highest adjacent gratructural support ertification is to be signation. I certify that the stand that any false si	cased on: cate will be requi A30, AE, AH, A ( A30, AE, AH, AH, AH, AH, AH, AH, AH, AH, AH, AH	Construction Draired when construction (with BFE), VE, V1-V specified in Item A7. um NGVD-1929  ment, crawlspace, or actural member (V Zo quipment servicing the cation in Comments) ext to building (LAG) exat to building (HAG) evation of deck or state of the construction of the constru	awings* on of the buildin 30, V (with BFE Use the same enclosure floor nes only) ne building dirs, including R, ENGINEER engineer, or arc sents my best or imprisonment Were latitude a	NFORMATION (  Building Under gis complete.  AR, AR/A,	Check the measurer meters (Puerlet meters (Pue	Finished Construction  I, AR/AO. Complete Items C2.a-h  ment used. o Rico only)				
*A C2. Elebel Be Co a) b) c) d) e) f) g) h)  This coinformation and erse characteristics Certifice	new Elevation Certifications – Zones A1-/low according to the brochmark Utilized KB niversion/Comments Top of bottom floor Top of the next high Bottom of the lowes Attached garage (to Lowest elevation of (Describe type of e Lowest adjacent (find Highest adjacent (find Highest adjacent gratructural support structural support entification is to be signation. I certify that the stand that any false structure if comments and the stand that any false structure is the comments of the stand that any false structure is the structure is the stand that any false structure is the structure	cased on: cate will be requi A30, AE, AH, A ( puilding diagram -7-RVertical Date N/A  (including baser ner floor set horizontal struct op of slab) if machinery or equipment and loc nished) grade ne ade at lowest ele  SECTIO and and sealed the information on tatement may be as are provided on the control of the control of the control of ordinates are provided on the control of the control of ordinates are provided on the control of the control of ordinates are provided on the control of the control of ordinates are provided on the control of the control of the control of ordinates are provided on the control of the	Construction Draired when construction (with BFE), VE, V1-V specified in Item A7. um NGVD-1929  ment, crawlspace, or actural member (V Zo quipment servicing the cation in Comments) ext to building (LAG) ext to building (HAG) ext to building (HAG) evation of deck or start of the construction of deck or start of the construction of the constructi	awings* on of the buildin 30, V (with BFE Use the same enclosure floor nes only) ne building  airs, including  R, ENGINEER engineer, or arc sents my best en imprisonment Vere latitude a licensed land s	NFORMATION (  □ Building Under g is complete.  E), AR, AR/A, AR/A   I datum as the BFE   O 6.05  □ 0.88  □ 10.88  □ 10.84  □ 10.40  □ 5.8  □ 6.7  □ 5.4  □ 10.88  □ 10.40  □	Check the measurer meters (Puerlet meters (Pue	Finished Construction  I, AR/AO. Complete Items C2.a-h  ment used. o Rico only)				
*A C2. Elebel Be Co a) b) c) d) e) f) g) h)  This co inform. unders Ch	new Elevation Certifications – Zones A1-/ low according to the banchmark Utilized KB niversion/Comments of the lower of the next high Bottom of the lower Attached garage (to Lowest elevation of (Describe type of elevation of the Lowest adjacent (fill Highest adjacent (fill Lowest adjacent gratification is to be signation. I certify that the stand that any false structural support.	cased on: cate will be requi A30, AE, AH, A ( A30, AE, AH, AH, AH, AH, AH, AH, AH, AH, AH, AH	Construction Draired when construction (with BFE), VE, V1-V specified in Item A7. um NGVD-1929  ment, crawlspace, or actural member (V Zo quipment servicing the cation in Comments) ext to building (LAG) ext to building (HAG) ext to building (HAG) evation of deck or start of the construction of deck or start of the construction of the constructi	awings* on of the buildin 30, V (with BFE Use the same enclosure floor nes only) ne building  airs, including  R, ENGINEER engineer, or arc sents my best en imprisonment Vere latitude a licensed land s	NFORMATION (  □ Building Under g is complete.  E), AR, AR/A, AR/A   I datum as the BFE   O 6.05  □ 0.88  □ 10.88  □ 10.84  □ 10.40  □ 5.8  □ 6.7  □ 5.4  □ 10.88  □ 10.40  □	Check the measurer meters (Puerlet meters (Pue	Finished Construction  I, AR/AO. Complete Items C2.a-h  ment used. o Rico only)				

IMPORTANT: In these spaces.	copy the corresponding informa	tion from Se	ection A	Fo	r Insurance Company Use:			
Building Street Address (including Apt 351 WOODCREST RD.				licy Number				
City KEY BISCAYNE State FL ZIP	Code 33149			Co	mpany NAIC Number			
SECTION	D - SURVEYOR, ENGINEER, OF	RARCHITEC	T CERTIFICATI	ON (CONTIN	UED)			
	ificate for (1) community official, (2) ins							
	OF ROAD IS 5.22 FEET (NGVD 1929							
C2.a) Refers to the bottom of crawlspa	ace C2b) Refers to Finish Floor Eleva	ation						
C2.e) Refers to A/C Units which are lo	cated higher than ground level							
Signature		Date 11-	20-2009		Charle have if attach we are			
SECTION E - BUILDING ELE	VATION INFORMATION (SURVE	Y NOT REQ	UIRED) FOR ZO	NE AO AND	Check here if attachments			
For Zones AO and A (without BFE), complete Items E1-E5. If the Certificate is intended to support a LOMA or LOMR-F request, complete Sections A, B, and C. For Items E1-E4, use natural grade, if available. Check the measurement used. In Puerto Rico only, enter meters.  E1. Provide elevation information for the following and check the appropriate boxes to show whether the elevation is above or below the highest adjacent grade (HAG) and the lowest adjacent grade (LAG).  a) Top of bottom floor (including basement, crawlspace, or enclosure) is   feet   meters   above or   below the HAG.  b) Top of bottom floor (including basement, crawlspace, or enclosure) is   feet   meters   above or   below the LAG.  E2. For Building Diagrams 6-9 with permanent flood openings provided in Section A Items 8 and/or 9 (see pages 8-9 of Instructions), the next higher floor (elevation C2.b in the diagrams) of the building is   feet   meters   above or   below the HAG.  E3. Attached garage (top of slab) is   feet   meters   above or   below the HAG.  E4. Top of platform of machinery and/or equipment servicing the building is   feet   meters   above or   below the HAG.  E5. Zone AO only: If no flood depth number is available, is the top of the bottom floor elevated in accordance with the community's floodplain management ordinance?   Yes   No   Unknown. The local official must certify this information in Section G.  SECTION F - PROPERTY OWNER (OR OWNER'S REPRESENTATIVE) CERTIFICATION								
	<del></del>							
	zed representative who completes Sec ements in Sections A, B, and E are corr ed Representative's Name			nout a FEMA-iss	sued or community-issued BFE)			
Address		City		State	ZIP Code			
Signature		Date		Telephone				
Comments								
					□ Check here if attachments			
	SECTION G - COMMUNITY							
The local official who is authorized by la and G of this Elevation Certificate. Com G1. The information in Section C		elow. Check t	he measurement u	sed in Items G8	and G9.			
is authorized by law to certify	elevation information. (Indicate the so	urce and date	of the elevation dat	a in the Comme	ents area below.)			
	ed Section E for a building located in Zo ms G4-G9) is provided for community fl			community-issu	ed BFE) or Zone AO.			
	G5. Date Permit Issued	T.		Of Compliance	e/Occupancy Issued			
G4. Permit Number	G5. Date Permit Issued		56. Date Certificate	e Oi Compliand	e/Occupancy issued			
<ul><li>57. This permit has been issued for:</li><li>58. Elevation of as-built lowest floor (in Eq. BFE or (in Zone AO) depth of floor</li><li>510. Community's design flood elevation</li></ul>	bstantial Improvement							
Local Official's Namo	Title							
Local Official's Name  Community Name	Telephone							
Signature	Date							
Comments					7			
					Check-here if attachments			

Replaces all previous editions


FEMA Form 81-31, Mar 09

## Building Photographs See Instructions for Item A6.

For Insurance Company Use: Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. Policy Number 351 WOODCREST RD.. Company NAIC Number State FL ZIP Code 33149 City KEY BISCAYNE

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least two building photographs below according to the instructions for Item A6. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." If submitting more photographs than will fit on this page, use the Continuation Page, following.

FRONT VIEW -- PHOTOS TAKEN ON 11-20-2009



-- PHOTOS TAKEN ON 11-20-2009











